

075 | FC5 | BP | MAT




Description



CLAVIA LSA CHAIR FOR SURGERY - **WIDTH 75** - **CENTRALIZED BRAKING SYSTEM WITH A 5TH DIRECTIONAL CASTOR** - ELECTRICAL VARIABLE HEIGHT - ELECTRIC BACKWARD TILT FUNCTION - ELECTRIC BACKREST WITH EMERGENCY CPR - **ELECTRIC LEGREST (4 ACTUATORS)** - COMFORT **MATTRESS** - FULL SIDERAILS WITH ASSISTANCE - BACKREST IN TWO PARTS WITH REMOVABLE HEAD PART FOR ATTACHING AN OPHTHALMOLOGY, ENT OR STOMATOLOGY HEAD REST

CLAVIA LSA SURGERY fits perfectly into the fast-track patient circuit, or directly into the day surgery unit. From installation to the moment they leave the room, the patient no longer needs to be transferred. The procedure is performed directly on the chair. Its remarkable mobility ensures good conditions of use for nursing staff. CLAVIA LSA SURGERY is intended for ophthalmology, stomatology, ENT, hand surgery, colonoscopy, gastroscopy, etc.



PACK - EQUIPMENT

Side Rails	Drop-down laminates side guards with 3 positions: High security position, Low position for easy access, Surgery position (ENT, Stomatology, Hand surgery, Colonoscopy)
Mattress	Removable mattress
Equipment	Foldable push bars below backrest - Bumpers on 2 corners at foot end with holder for accessories - Technical rails on backrest at both sides

WEIGHT

Weight	116 kg
--------	--------

DIMENSIONS

Length	Chair position: 152 / Reclining position (standard headrest) : 212,5 / Reclining position (headrest ophthalmology) : 214,8 cm
Width	90 cm
Length sleeping surface	202 (mattress: 178) cm
Width sleeping surface	75 cm
Variable height minimum	Seat height without mattress: 49 cm
Variable height maximum	Seat height without mattress: 89 cm
Ground Clearance	10 cm
Dimensions (cm)	Backrest 80 cm cm
Mattress thickness	10 cm
Side rails height	(without mattress) 37 cm
Side rails length	110 cm
Side rails thickness	10 cm
Height of the push handle	77 to 117 (on the feet side) / 90 to 140 (under the backrest) cm
Push bar length	2 x 15 cm
Push bar diameter	3,3 cm

MATERIAL & COATING

Material Foam	Resilience foam
Foam HR density	35 kg/m ³
Material Cover	Removable cover in PVC coated Jersey

TYPE

Type of mattress	Standard Comfort
Class Mattress	Class 0
Variable height type	PI-Type
Type of engine	Electric
Type of brake	Centralized brake system with 5th retractable and directional wheel

MATERIAL & COATING

Frame	Frame protection cover / Machine-welded steel frame, epoxy coated
Variable height	Steel column
Material	Side rails in HPL compact

BASE

Type of footing	Castor - Double roller
Wheels diameter	150 mm

MOBILITY

Type of battery	Battery lithium-Ion 2.25A (50 cycles)
Charging time	about 10 heures
Consumption at rest	0,5 (120/230V)
Consumption in function	on maximum connected 12A - on maximum battery 10A
Consumption in charge	300 mA

INCLINATIONS

Backrest	0 to 90 °
Legrest	0 to 60 °
Trendelenburg	6 °
Reverse Trendelenburg	15 °

SAFETY CHARGE

SWL	250 kg
-----	--------

CONFIGURATION

Configuration	Electric variable height / Electric Trendelenburg and Reverse Trendelenburg / Electric backrest with manual CPR / Electric legrest / 2 section backrest with a removable head section to fasten a surgery head rest for ophthalmology, stomatology and ENT
Number of IV pole support	2 holders on siderails for IV pole

REGULATION

Medical device class	Class I
CE marking	Yes

OPTIONS

CABLE REEL (INCOMPATIBLE WITH THE OPTION CLOS02)

Réf. CLOEC



FOOT PEDAL CONTROL FOR VARIABLE HEIGHT (IN ADDITION OF THE WIRED REMOTE CONTROL)

Réf. CLOHVP



WIDTH OF THE BACKREST 60 CM FOR CLAVIA LSA CHIR 75 ONLY.

Réf. CLORD



HOLDER FOR OXYGEN CYLINDER (INCOMPATIBLE WITH THE OPTION CLOEC)

Réf. CLOS02



SUPPORT FOR MEAL TRAY ON THE RIGHT SIDE OF THE PATIENT (COMPATIBLE WITH THE CLOSPR-G)

Réf. CLOSPR-D



SUPPORT FOR MEAL TRAY ON THE LEFT SIDE OF THE PATIENT (COMPATIBLE WITH CLOSPR-D)

Réf. CLOSPR-G



WITHOUT THE STANDARD HEADREST (DEPRECIATION)

Réf. CLOST



FOLDABLE PUSH BARS FOOT-END

Réf. CROBPP



OPTIONS

ANTI-STATIC SYSTEM

Réf. CLORA



EQUIPOTENTIAL CONNECTION

Réf. EQUI



ACCESSORIES

COMFORT PILLOW (BLUE)

Réf. ACC-CTB



CLAVIA SIDE RAILS CUSHION/ARMREST, REMOVABLE AND RIGHT/LEFT REVERSIBLE (SINGLE)

Réf. CLOCB



LARGE SHELF : 81 X 41 CM (CLOSPR-G OR CLOSPR-D REQUIRED)

Réf. CLOPR-G



SMALL SHELF : 42 X 32 CM (CLOSPR-G OR CLOSPR-D REQUIRED)

Réf. CLOPR-P



HOLDER FOR OPERATING FIELD, WITH CONNECTION FOR OXYGEN

Réf. FSC



ADDITIONAL HOLLOW CUSHION FOR ARTICULATED REMOVABLE SURGERY HEADREST

Réf. LCA-CC



ADDITIONAL FLAT CUSHION FOR ARTICULATED REMOVABLE SURGERY HEADREST

Réf. LCA-CP



ARTICULATED REMOVABLE SURGERY HEAD REST FOR OPHTHALMOLOGY + HOLLOW CUSHION

Réf. LCA-OPH



ARTICULATED REMOVABLE SURGERY HEAD REST FOR STOMATOLOGY + FLAT CUSHION

Réf. LCA-PLA



REMOVABLE SURGERY HEAD REST FOR STOMATOLOGY AND ENT

Réf. LCA-STO



HEAD REST SUPPORT. FIXATION ON TECHNICAL RAILS.

Réf. LCA-SUP



MATTRESS PROTECTION AT FOOT END

Réf. LSA-PROTECT



HOOKS TO HOLD BAGS

Réf. PSU



REMOVABLE IV POLE, 2-STAGE, 2 HOOKS

Réf. TSR2



REMOVABLE IV POLE, 2-STAGE, 4 HOOKS

Réf. TSR4

