



Description



ERGOLYS CHAIR - WIDTH 70 - INDIVIDUAL BRAKE -
ELECTRICAL VARIABLE HEIGHT - ELECTRIC BACKWARD TILT FUNCTION -
ELECTRIC BACKREST - **ELECTRIC LEGREST (4 ACTUATORS)** - MATELAS
VISCOELASTIQUE - ADJUSTABLE HEADREST - ANATOMIC SHAPED ARMREST

The ERGOLYS RANGE IS AN ALL-ELECTRIC TREATMENT SOLUTION THAT CONVERTS FROM A FULLY-FLAT BED TO RECLINER CHAIR. SUITABLE FOR APPLICATIONS INCLUDING DIALYSIS, CHEMOTHERAPY, AND HAEMATOLOGY TREATMENT AREAS. THE ERGOLYS ALLOWS GREATER PATIENT COMFORT ACCESS FOR CLINICIANS DURING TREATMENT AND TRANSFER. THE ERGOLYS RANGE IS ALSO AVAILABLE WITH A NUMBER OF OPTIONS AND ACCESSORIES TO CATER TO THE NEEDS OF ALL APPLICATIONS.



| PACK - EQUIPMENT | |
|-----------------------------------|---|
| Equipment | Retractable armrests with multidirectional adjustment 55 x 17 cm (Valencia colors) / Adjustable headrest by racks |
| WEIGHT | |
| Weight | 125 kg |
| DIMENSIONS | |
| Length | Chair position: 163 / Reclining position (footrest retracted): 225 / Lying down position (footrest out): 235 cm |
| Width | 110 cm |
| Length sleeping surface | 215 cm |
| Width sleeping surface | 70 cm |
| Variable height minimum | With mattress: 62 cm |
| Variable height maximum | With mattress: 102 cm |
| Ground Clearance | 5 cm |
| Dimensions (cm) | Backrest: 92 x 70 cm / Legrest: 66 x 70 cm cm |
| Mattress thickness | 12 cm |
| ARMRESTS | |
| Length | 55 mm |
| Width | 17 mm |
| Thickness | 6 cm |
| Height armrests from the seat | 25 mm |
| MATERIAL & COATING | |
| Material Foam | Resilience foam / PE / Viscoelastic |
| Foam HR density | 40 kg/m ³ |
| Viscoelastic foam density | 40 kg/m ³ |
| Material Cover | Removable cover in PVC coated Jersey |
| TYPE | |
| Variable height type | PI-Type |
| Type of engine | Electric |
| Type of brake | Individual brake |
| MATERIAL & COATING | |
| Frame | Frame protection cover / Machine-welded steel frame, epoxy coated |
| Variable height | Steel column |
| Bedbase / sleeping surface | Protective shell of the frame and bed cover |
| BASE | |
| Type of footing | Castor - Simple roller |
| Wheels diameter | 125 mm |
| INCLINATIONS | |
| Backrest | 0 to 75 ° |
| Legrest | 0 to 25 ° |
| Reverse Trendelenburg | 20 ° |
| SAFETY CHARGE | |
| Maximum patient weight | 200 kg |
| SWL | 250 kg |
| CONFIGURATION | |
| Configuration | Electric variable height / Electric slope / Electric backrest with manual CPR / Electric legrest |
| COLORS | |
| Mattress filling | Range of colors Valencia (only for the accessories) |
| REGULATION | |
| Medical device class | Class I |
| CE marking | Yes |
| European regulation (UE 2017/745) | Yes |
| FIRE CLASSIFICATION | |
| Mattress cover | M1 |
| ADDITIONAL INFORMATION | |
| Comment | 5 possible positions: Reception, comfort position, bed, emergency slope, CPR function |

OPTIONS

LI-ION BATTERY
Réf. EROBA



EMERGENCY FOOT SWITCH WITH EMERGENCY
FOOT RELEASE ON BOTH SIDES
Réf. ERODU



ELECTRIC FOOTREST 25 CM WITH RETRACTABLE
FOOT CUSHION (VALENCIA COLOR) (EROSAT
MANDATORY)
Réf. ERORPE



WHEELS Ø 125 MM WITH BILATERAL
CENTRALIZED BRAKING, ONE OF WHICH IS
DIRECTIONAL
Réf. ERORS1



FLEX REMOTE CONTROL (SATELLITE)
Réf. EROSAT



ACCESSORIES

ADJUSTABLE HEAD CUSHION 70 X 45 CM
(COLOR VALENCIA)
Réf. EROCT

