



Telehealth Solutions

HPA offers a diverse range of Telehealth solutions designed to facilitate seamless connections between healthcare professionals, whether they are consulting at the point-of-care or conducting remote consultations. Recognising that each healthcare facility has its own distinctive requirements, our solutions are entirely customised to meet the specific needs of every site.

Emphasis is on mobility, making use of our extensive fleet of versatile options such as standard, slimline, variable height, and powered carts, as well as roll stands. These solutions allow for the integration of a medical-grade computer or rugged tablet, combined with your preferred camera, seamlessly mounted onto the cart. The result is a truly unique and tailored Telehealth solution, ensuring the highest level of quality and convenience.

Diverse Requirements

HPA offers a myriad of innovative conferencing technology solutions, and the following represents just a glimpse of the recent advancements we've delivered to our valued customers. With optional accessories available for all our carts, along with the flexibility to seamlessly integrate any camera or audio device, we create holistic and tailor-made solutions that cater to a wide range of needs.





Standard Telehealth Option

Features & Specifications

- Camera options:
 - Logitech C925e or
 - Logitech PTZ Pro 2
- Speaker options:
 - Plathosys CT 460 PR0 CV smart USB handset phone or
 - Sennheiser SP20/30 USB speakerphone





CT 460 PRO CV

SP20/30 USB

- Wamee all-in-one medical grade computer or tablet + webcam bracket
- Workstation on wheels work surface height adjustment
- Wamee medical grade washable keyboard and mouse
- Integrate barcode scanner or mobile printer
- Optional accessories to adapt to workflow requirements
- Lifecycle maintenance plans for telehealth solutions

Logitech C925e

Full HD1080p Business Webcam

- Resolution FPS Full HD 1080p/30fps, HD 720p/30fps
- Diagonal Field of View 78°
- Zoom Capability 1x to 4x
- Autofocus
- Auto Light Correction, RightLight[™] 2
- Noise Cancelling Mic(s) 2 omnidirectional mics
- Connection USB-A plug-and-play
- Cable length 1.5-1.83 m
- Privacy Shutter



Logitech PTZ Pro 2

Premium HD PTZ video camera

- HD 1080p video quality at 30 frames per second
- H.264 UVC 1.5 with Scalable Video Coding (SVC)
- 90° field of view with mechanical 260° pan and 130° tilt
- 10x lossless full HD zoom
- Autofocus
- Premium Logitech camera lens
- Far-end camera control and remote control
- Plug-and-play USB connectivity









Ideal for

- Stroke or head injury
- ICU / HDU / ED
- Paediatrics
- Burn consultations
- Wound management



Ultra HD-4K Telehealth Option

Features & Specifications

- Panasonic AW-UE50 4K professional PTZ camera, wide angle and high-magnification zoom with auto tracking software
- Speaker options:
 - Plathosys CT 460 PRO CV smart USB handset phone or
 - Sennheiser SP20/30 USB speakerphone





CT 460 PRO CV

SP20/30 USB

- Wamee all-in-one medical grade computer or tablet + webcam bracket
- Workstation on wheels work surface height adjustment
- Wamee medical grade washable keyboard and mouse
- Integrate barcode scanner or mobile printer
- Optional accessories to adapt to workflow requirements
- Lifecycle maintenance plans for telehealth solutions

Panasonic AW-UE50

Professional PTZ camera, wide angle and high-magnification zoom with auto tracking software - ideal for wound management, ICU, ED, burns or paediatric applications

- 4K 25/30p and 24x Optical Zoom
- New Direct Drive System for improved responsiveness and quietness
- Supports NDI|HX version 2 and SRT*1 protocol
- Excellent system flexibility to achieve smart wiring and smooth operation
- Zoom certified





HPA | ICT & Carts

Workstation on wheels

Cart Specifications

Base dimensions:

Casters:

Foot pedal:

Channel length:

Channel extension:

With HPA's medical cart, you can have different options with height adjustment, work surface and keyboard tray, making them perfect for telehealth applications.



Optional Accessories:

- Drawers .
- **Dual Monitors** .
- Monitor handles .
- Additional Trays .
- Barcode Scanner & mobile printers .
- Baskets .



Model T	Cart Specifications	Model S
51.3 x 51.3 cm	Base dimensions:	35.6 x 51.3 cm
4 x 12.7 cm diameter, locking	Casters:	4 x 12.7 cm diameter, locking
Gas spring assisted control	Foot pedal:	Gas spring assisted control
100.3 cm	Channel length:	100.3 cm
40.6 cm	Channel extension:	40.6 cm





Cart Specifications	Model Trio LT
Base dimensions:	41.9 x 44.8 cm
Work Surface Height:	85 cm to 125.7 cm
Monitor Height:	114.3 cm to 168. cm

Cart Specifications	Model T7
Base dimensions:	46 x 49.5 x 26 cm
Cart Height:	103.8 cm to 172.9 cm
Channel extension:	50.7 cm

