




TECHNICAL SPECIFICATION SHEET

PRODUCT NAME: Flo Dynamic Monitor Arm – Toolless

PRODUCT CODE: DYN/013/016

Doc Rev 5.

06.08.24 CS



KEY FEATURES

- Award-winning aesthetic design and functionality
- Smooth, dynamic movement through its patented Flo Spring Technology
- Unique head design provides unrivalled degree of flexibility for tablets and touch screens
- Weight gauge reduces installation time and provides consistent performance
- Tool-free load adjustment mechanism.
- Integrated three-point cable management system
- Minimal environmental impact
- Plastic free packaging
- Portrait / landscape screen mounting

Product Classification	Monitor Arms
Min Load	3kg (6.6lb)
Max load	9kg (19.84lb)
Tilt range	48.5° upwards, 48.5° downwards
Horizontal Range	458mm
Vertical Range	341mm
Recycled content	67.4%
Total product recyclable	100%

LOGISTICAL

Box contains	Arm & Quick Release Mount Plate, Allen Key
Product net weight:	1.8 kg
Box dims (HxWxD)	720 x 125 x 68 mm
Box gross weight	2.01 kg
Carton quantity	6
Master dims (HxWxD)	725 x 255 x 223 mm
Master weight	12.9 kg
Country of origin	China
Country of configuration	UK

Bulk Pack (Pack of 10 - Selected Regions)

Box contains	10 x Arms, 10 x Quick Release Mount Plate (incl. Vesa screw packs), 10 x cable clip, 1 x Allen Key, 1 x Instructions
Master carton dims	275 x 260 x 700 mm
Master carton weight	20 kg
Country of origin	China

ORDERING INFORMATION

<u>Product Description</u>	<u>Product code</u>	<u>Colour</u>
Flo Dynamic Monitor Arm – Toolless	DYN/013/016/S	Silver
Flo Dynamic Monitor Arm – Toolless	DYN/013/016/B	Black
Flo Dynamic Monitor Arm – Toolless	DYN/013/016/W	White
Flo Dynamic Arm (10 x Bulk Pack)	DYN/013/016/X10/S	Silver
Flo Dynamic Arm (10 x Bulk Pack)	DYN/013/016/X10/B	Black
Flo Dynamic Arm (10 x Bulk Pack)	DYN/013/016/X10/W	White

WARRANTY

Warranty Term	12 years
----------------------	----------

COMPLIANCE & SAFETY CERTIFICATION

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

Conformance certification	<ul style="list-style-type: none">• BS EN ISO 9241:5 1999 Ergonomic Requirements for office work with visual display terminals (VDTs). FIRA certificate of conformance• FIRA load testing and lifetime fatigue test - PP050. Passed as suitable for 'severe use'
Test authority	FIRA
Safety certification	N/A

CLEANING, STORAGE & MAINTENANCE

Routine servicing	Periodic inspection
Service components	Available to order
Cleaning & Maintenance	Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces
Handling & Storage	Do not drop or expose to moisture

While every effort is made to ensure the accuracy of our technical information, Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained in this document and reserve the right to modify the specifications or data contained herein without prior notification.